Feb-07-05 03:50pm From-HBSAR

@PFDraktopk:ODMA/MHODMA/HESROS:1M1018ge,3/29028;1

JMS/jat February 4, 2005 1978-341-0136

T-052 P.02/13 F-258

DOCKET NO. 1884.1015-006

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Neil J. Goldfine, Markus Zahn, Alexander V. Mamishev,

Darrell E. Schlicker, Andrew P. Washabaugh

Application No.:

10/040,797

2857

Filed:

January 7, 2002

Examiner:

Jeffrey R. West

Confirmation No.: 3789

For:

METHODS FOR PROCESSING, OPTIMIZATION, CALIBRATION, AND DISPLAY OF MEASURED DIELECTROMETRY SIGNALS

USING PROPERTY ESTIMATION GRIDS

CERTIFICATE OF MAILING OR TRANSMISSION I bereby certify that this correspondence is being deposited with the United Sings Postal Service with sufficient pustage as First Class Mail in an envisione addressed to Cumunisticout for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or is being facilitate transmitted to the Unity States Patent and Trademark Office on lenniter Typed or printed name of person signing certificate

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

02/17/2005 6SiANLEY 00000011 080380

01 FC:1253

Transmitted herewith is an Amendment for filing in the above-identified application.

- Small entity status of this application under 37 C.F.R. 1.9 and 1.27 has been [] established by a Small Entity Statement previously submitted.
- A Small Entity Statement to establish small entity status under 37 C.F.R. 1.9 and 1.27 is enclosed.

The fee has been calculated as shown below:

	(COL. 1)			COL. 2)	(COL 3)
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR		PRESENT EXTRA
TOTAL	24	SUMIM	•	29	0
INDEP	4	WINUS	••	9	0
	FIRST PRESENTAT	MON OF M	ULTIPL	E DEP CLA	IM

not fewer man 20 not fewer than 3

SMALL ENTITY ADDIT. RATE FEE S \$ 25 \$100 \$ \$180

QR

ADDIT. RATE FEE x \$50 \$ S \$200 \$360

OTHER THAN SMALL ENTITY

0\_\_\_ TOTAL = S

TOTAL = 0

PAGE 2/13 \* RCVD AT 2/7/2005 3:50:50 PM [Eastern Standard Time] \* SVR:USPTO-EFXRF-1/2 \* DNIS:8729308 \* CSID:1978 341 0136 \* DURATION (mm-ss):03-60